Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	4	("5991771" or "20010034733").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 11:40
L2	1	1 and collect$5 with (related adj object)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 11:44
L3	0	1 and (related adj object) same (binary or text or xml)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 11:41
L4	1	1 and (related adj object) and (binary or text or xml)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 12:14
L5	2	1 and class with schema	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 11:45
L6	406	collect$5 with (related adj object)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 11:56
L7	209	"16" and class near schema	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 11:45
L8	12	6 and class near schema	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 11:49
L9	0	1 and ((variable adj usage adj specification) or vus!)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 11:51
L10	102	((variable adj usage adj specification) or vus!)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 11:54

L11	1	10 and series near state and transition	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 11:53
L12	1	11 and (object adj graph) and project$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 11:53
L13	1	10 and series near state	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 11:53
L14	5	((variable adj usage adj specification))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 11:55
L15	167	class adj schema	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 12:37
L16	11	15 and collect$5 near (related adj object)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 11:56
L17	1	16 and xml and API	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 12:18
L18	47	15 and xml and API	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 12:21
L19	1	18 and accessor and mutator	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 12:33
L20	27	18 and fetch$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 12:16

L21	14	15 same xml	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 12:18
L22	59	15 and xml	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 12:27
L23	17	(class adj schema) with objects!	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 12:35
L24	7	23 and xml	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 12:33
L25	6	24 and (API or (hash adj table))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 12:30
L26	1	24 and (API and (hash adj table))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 12:30
L27	8	23 and (API or (hash adj table))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 12:31
L28	1	23 and (API and (hash adj table))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 12:31
L29	29	15 and (API and (hash adj table))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 12:35
L30	20	29 and xml	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 12:33

L31	20	30 and (accessor or mutator set)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 12:33
L32	19	30 and (accessor or mutator set) near6 method	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 12:33
L33	57	(class adj schema) same objects!	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 12:35
L34	9	33 and (API and (hash adj table))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 12:35
L35	90	15 and "707"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 12:44
L36	36	35 and object adj attribute	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 12:38
L37	30	35 and objects! and (object adj attributes!)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 12:38